



**2019 WALK-BEHINDS**



**COMMERCIAL 21**

**PRODUCTIVITY.  
COMMERCIAL DURABILITY.  
EASE OF USE.**

**DURABILITY**



**SIMPLICITY IS THE BASIS OF GREAT ENGINEERING**

The Commercial 21 is engineered for years of trouble-free service in the most demanding professional environments. The rugged cast aluminum cutting deck features our patented front height-adjustment system, which eliminates the need for pivot-style adjusters. The end result is increased strength and extended long-term durability.

Proven Kawasaki® and Honda® commercial engines and heavy-duty, drive-train components deliver professional-grade performance, with endurance and reliability you can count on to finish the job every time.

**PRODUCTIVITY**



**THE CAPACITY TO DO MORE EVERY DAY**

When time is money, the Commercial 21 makes the most of every minute. With cutting speeds of up to 4.2 mph forward, the Commercial 21 powers through the toughest mowing conditions.

When the goal is to get more work done, the Commercial 21 is the professionals' choice. Large-diameter, 9-inch wheels and semi-pneumatic tires easily roll over uneven terrain. And the patented front height adjustment system and single-point rear height adjustment eases setup, while the large 2.5-bushel bagger maximizes mowing time between stops.

The Commercial 21 mowers are available with zone start. For increased productivity and convenience, select models are available with blade brake clutch (BBC) allowing the blade to be engaged and disengaged without stopping the engine.



Known for getting the job done faster, and better, Exmark's commercial-grade 21-inch walk-behind mowers deliver an unmatched quality of cut—and years of worry-free service—that have become the industry benchmarks. Recent design features like the patented front height adjustment system and single-point rear height adjust provide even more versatility when mowing.



**INFINITE SPEED CONTROL**

A commercial-proven, multi-cone transmission provides infinite speed control from zero to 4.2 miles per hour. With no gears to change, the Commercial 21 is easy to operate and control.



**CUTTING DECK**

A 5-inch deep cast aluminum cutting deck is the foundation of Commercial 21 models. The alloy construction reduces overall mower weight, while the full quarter-inch-thick walls ensure the strength and durability landscape professionals need.



**PATENTED FRONT-HEIGHT ADJUST**

Simple, innovative and built to last, the patented front height adjustment eliminates the need for pivot-style adjusters.



**2.5-BUSHEL BAG**

The spacious 2.5-bushel bag gives landscape professionals the productivity edge, with an easy-on, easy-off bag design.



**MULTIPLE BLADE OPTIONS**

Our innovative blade design makes it easy to go from mulching to bagging. The option of five blade choices gives you the flexibility to customize for your unique cutting conditions.



**EASE OF USE**

The Commercial 21 has simple, straightforward controls and a lightweight, durable cast aluminum cutting deck, which reduces weight and eases maneuverability.



**THE EXMARK® SIGNATURE CUT**

The true test of a mower is the cut quality it delivers. The Commercial 21 is engineered to consistently deliver an unmatched quality of cut, whether mulching or bagging. A variety of optional blades let you further optimize performance for your specific cutting conditions.



**EASY TO SERVICE**

The simple, commercial-proven design of the Commercial 21 features a reduced part count for ease of service and maintenance, with maximum durability and reliability.

**UNMATCHED PERFORMANCE.  
MANEUVERABILITY.  
COMMERCIAL DURABILITY.**

**PRODUCTIVITY**



**THE BEST CHOICE FOR MANY PROPERTIES**

Commercial 30 delivers the productivity of a larger walk-behind mower, with the versatility and maneuverability of a smaller machine. It's a compelling combination when time is money. The Commercial 30 delivers a full, 30-inch width of cut, allowing operators to cut 40 percent more with each pass than a 21-inch walk-behind mower. Even with this increased productivity, the balance and handling of this machine is similar to a 21-inch machine.

The 2-in-1 cutting deck design permits quick changes from bagging to mulching—no tools required. When combined with the positive drive transmission, which provides infinitely variable speed up to 4.2 mph, the Commercial 30 makes quick work of a wide variety of mowing jobs.

**QUALITY OF CUT**



**INNOVATIVE TIMED, TWO-BLADE CUTTING SYSTEM**

The Commercial 30 features an innovative timed, two-blade cutting system and a 4.6-inch-deep cutting deck to deliver an unmatched quality of cut in any mowing conditions. The blade design works in conjunction with the cutting system to provide optimal cut quality in each of the two cutting modes—bagging or mulching. The time-blade system also reduces horsepower requirement.

An optional high-performance mulch kit is available to provide enhanced mulching performance in especially demanding conditions including wet, heavy grass, or heavy leaf fall. The kit can also act as a fill-reduction device when mowing in bagging mode, giving the operator the ability to control how many clippings are collected and reduce the number of stops required to empty the bag.



Don't let its size fool you. Our Commercial 30 mower is deceptively light and easy to maneuver. In fact, it feels and handles much like its Commercial 21 counterparts. The major difference: its 30-inch cut delivers up to a 40% increase in cutting efficiency compared to a standard 21-inch mower—without wearing out the machine or its operator.



**TWO-IN-ONE CUTTING DECK**

The 2-in-1 cutting deck maximizes productivity. It enables operators to quickly switch between bagging or mulching—without tools.




**HEAVY-DUTY DECK**

The 4.6-inch-deep deck is constructed of heavy-duty steel with welded reinforcements.



**2.5-BUSHEL BAGGER**

For increased productive, the commercial 30 has a large-capacity, 2.5-bushel bagger, reducing the number of stops. So you can mow longer, without stopping.



**BLADE BRAKE CLUTCH (BBC)**

For increased productivity and convenience, the Commercial 30 is equipped with blade brake clutch (BBC) allowing the blade to be engaged and disengaged without stopping the engine.



**PATENTED FRONT HEIGHT ADJUST**

Simple, innovative and built to last, the Commercial 30's patented front height adjustment eliminates the need for pivot-style adjusters.



**COMMERCIAL DURABILITY**

For increased durability in commercial use, the Commercial 30 comes standard with heavy-duty side braces, an engine guard, a metal side-discharge cover and a 1-inch diameter front bumper.



**EASE OF USE**

Simple controls, a patented front height adjustment system and an easy to use single-point rear height adjust makes the Commercial 30 easy to use and eliminates the need for ongoing maintenance or repair.



**VERSATILITY**

Recent innovations, like a patented front height adjustment system and three-in-one cutting system, provide even more versatility for a better, more impressive cut.

**COMPARISON CHART**

**COMMERCIAL 21  
S-SERIES**



**COMMERCIAL 21  
X-SERIES**



**COMMERCIAL 30**



**AVAILABLE ACCESSORIES**

**COMMERCIAL 21 S-SERIES**



**DECK WEAR KIT**



**ENGINE GUARD**



**MULCH PLUG**

**Also Available:**

Coated Bail Drive and Door Handle Kit

Accessories may not fit each model, please visit [exmark.com](http://exmark.com) or check with your dealer on accessory fit-up for each model.

**COMMERCIAL 30**



**MICRO-MULCH SYSTEM**

Accessories may not fit each model. Please visit [exmark.com](http://exmark.com) or check with your dealer on accessory fit-up for each model.

**ENGINES**

Kawasaki FJ180V  
Pressure Lube

Honda GXV160  
Kawasaki FJ180V KAI  
KAI is Pressure Lube, Oil Filter, Air Filter

Kawasaki FJ180V KAI  
KAI is Pressure Lube, Oil Filter, Air Filter

**DECK SIZE**

21"

21"

30"

**DECK STYLE**

2-in-1: Bag and Mulch  
Single Blade

2-in-1: Bag and Mulch  
Single Blade

2-in-1: Bag and Mulch  
Two Blades

**CUTTING HEIGHT**

1.0" to 4.5"  
Single-Point, Rear Height Adjust  
Patented Front Height Adjust System

1.0" to 4.5"  
Single-Point, Rear Height Adjust  
Patented Front Height Adjust System

1.5" to 5.0"  
Single-Point, Rear Height Adjust  
Patented Front Height Adjust System

**SPEED**

Up to 4.2 mph

Up to 4.2 mph

Up to 4.2 mph

**FUEL CAPACITY**

2 Quarts

1 Gallon

1 Gallon

**FEATURES**

Optional Engine Guard, Front Bumper,  
Deck Wear Kit, Mulch Plug and Coated Bails

Standard Engine Guard, Front Bumper,  
Deck Wear Kit, Mulch Plug and Coated Bails

Standard Engine Guard, Front Bumper,  
Deck Wear Kit, Mulch Plug and Coated Bails

**BLADE  
ENGAGEMENT**

Zone Start

Zone Start or BBC

BBC

**WHEEL SIZE**

Front: 9 x 2.5 Semi-Pneumatic  
Rear: 9 x 2.5 Semi-Pneumatic

Front: 9 x 2.5 Semi-Pneumatic  
Rear: 9 x 2.5 Semi-Pneumatic

Front: 9" x 2.5" Semi-Pneumatic  
Rear: 10" x 3.0" Semi-Pneumatic

**BAG SIZE**

2.5-Bushels

2.5-Bushels

2.5-Bushels

**WARRANTY**

For complete details, visit  
[exmark.com](http://exmark.com) or your local dealer

1-Year Limited

1-Year Limited

1-Year Limited

# METRO

**COMMERCIAL PERFORMANCE.  
ENHANCED CONTROL SYSTEM.  
QUALITY OF CUT.**



When you understand the value of cut quality but don't have an unlimited equipment budget, the Metro® is an inspired choice. Equipped with our patented Enhanced Control System (ECS) and a choice of 32-, 36- or 48-inch cutting widths, the Metro delivers the productivity you need and the features you want, at a price that won't break the bank

## ALL-AROUND PERFORMANCE

### THE RIGHT BALANCE OF PRODUCTIVITY, VERSATILITY AND CUT QUALITY

With its proven fixed-deck, gear-drive design and powerful Kawasaki V-Twin engines, the Metro offers true commercial performance, cut quality and durability.

Capable of cutting at up to 6.2 mph, the Metro makes quick work of jobs, both large and small. The well-balanced, high-clearance cutting deck easily climbs curbs or ramps for trailering, and the fully fabricated and welded design is reinforced to stand the test of time. The proven belt drive system is reliable, easy to operate and simple to maintain.

When value and performance matter, the Exmark Metro gives you exactly what you need to do the job right the first time, every time.



**SIMPLE DRIVE BELT MAINTENANCE**  
Drive belts can be changed quickly and easily, with no tools required. Deck belts can also be easily adjusted.



**ENHANCED CONTROL SYSTEM**  
To help reduce fatigue, our patented ECS puts the operator's hands in a natural, neutral position. The 32" model is available with traditional pistol-grip controls.



**DURABLE GEARBOX TRANSMISSION**  
The durable, 5-speed Peerless® transmission is designed for years of trouble-free service.

# VIKING

**ENHANCED CONTROL SYSTEM.  
SEAMLESS PERFORMANCE.  
VERSATILE MOWER.**



When you're ready to step up to the precise control and seamless performance of a hydro-drive walk-behind, it's time for a Viking®. With its unique blend of features, technology and value, the Viking is the mower of choice of discerning landscape professionals with a keen eye on the bottom line.

## VERSATILITY

### GET JOBS DONE QUICKER WITH THE PRECISION OF HYDRO CONTROL

You need a mower capable of taking on a wide range of jobs both large and small, and you understand the value of cut quality to your customers. That's why the Viking should be at the top of your short list. Featuring Exmark's industry-leading hydro-drive system and patented ECS controls, the Viking puts infinite speed and direction control at your fingertips, with enhanced ergonomics to keep you going strong all day.

Available with a choice of 36- or 48-inch, side-discharge, UltraCut™ cutting decks, the Viking is capable of cutting at up to 6.2 mph forward, and 2.2 mph in reverse. Large drive tires offer confident traction in a wide variety of conditions, and the semi-pneumatic front caster wheels reduce the possibility of a flat tire that would compromise your productivity.

Put the power, control and versatility of an Exmark Viking to work for you.



**TRACKING KNOB**  
Exmark's patented Hydro Quick Track Adjustment allows easy and fast adjustment without tools.



**OPERATOR FRIENDLY**  
The hydro-drive Viking is easy to operate, with instant forward-to-reverse and infinite speed control. Works at speeds up to 6.2 mph forward and 2.2 mph in reverse.



**EXCEPTIONAL TRACTION**  
Large, 16 x 6.5-8 tires provide extra grip while smooth-tread, semi-pneumatic front caster tires eliminate flats.

# TURF TRACER

QUALITY OF CUT.  
LONG-LASTING PERFORMANCE.  
ENHANCED CONTROL SYSTEM.

## CUTTING SYSTEMS



### ULTRACUT™ DECK TECHNOLOGY

At the heart of every Turf Tracer® are Exmark's full-floating UltraCut decks. Series 3 decks are on the S-Series, and deeper, more heavy-duty Series 4 decks are on the X-Series. Both decks feature robust, yet flexible, discharge chutes, designed to reduce the possibility of impact damage from trees, rocks and other obstacles. These full-floating decks precisely follow ground contours to deliver a more consistent height of cut and reduced scalping.

*UltraCut Series 4 deck is shown*

UltraCut Deck Comparison	UltraCut Series 3	UltraCut Series 4
Bag	✓	✓
Mulch	✓	✓
Deck Depth	5.0"	5.5"
Cutter Housing	7.30"	7.75"
Spindle Shaft	17mm	25mm

## MANEUVERABILITY



### PATENTED ENHANCED CONTROL SYSTEM

Both the S- and X-Series Turf Tracer models feature Exmark's patented Enhanced Control System, or ECS, which was developed using feedback from landscape professionals.

With Exmark's ECS, all the primary controls are close at hand for increased convenience and maneuverability. The design places hands in a protected position, where they're less likely to get banged up by branches and shrubs. Best of all, this natural, ergonomic hand position helps reduce operator fatigue.



The Turf Tracer is Exmark's premium wide-area, walk-behind mower, combining the productivity of larger cutting decks and hydro-drive components with the unmatched quality of a full-floating deck. They are engineered for speed, efficiency and durability, and always deliver a quality of cut that is second to none.



### ALL-NEW DECK LATCH

Changing the height of cut on Turf Tracer decks has been made easy with the newly added deck latch. Rather than holding the deck while changing the height of cut, the deck will now lock into place making it easier on operators. (Not available on 36-inch decks.)



### ELECTRIC CLUTCH

Exmark's advanced electric clutch technology means easier and faster belt servicing. It's now among the most durable and reliable in the business too.




### SUPERIOR AIR FILTRATION

All X-Series models have a heavy-duty canister air filtration system for longer engine life, more efficient performance and simpler maintenance.



### HOURLY METER COMES STANDARD

Use it to track maintenance records and service intervals for longer mower life on X-Series models.



### PATENTED ENHANCED CONTROL SYSTEM (ECS)

Designed to increase smoothness and control while reducing tension and fatigue, our ECS facilitates a natural, neutral operator hand positioning.



### LONG-LASTING PERFORMANCE

These hydro-drive models provide more control, instant response, and precise speed regulation with full-reverse and zero-turn maneuverability for unmatched productivity and durability.



### EASY TO SERVICE

The Turf Tracer has been engineered to make routine maintenance quick and simple—including patented belt covers that can be removed without tools for easy debris removal and quick belt access.



### ECO-FRIENDLY PROPANE OPTION

Both of the S- and X-Series models include an eco-friendly propane option, designed to minimize operating costs and environmental impact while maximizing profitability.

# METRO



# VIKING



# TURF TRACER S-SERIES



# TURF TRACER X-SERIES




3-BUSHEL BAGGER



MICRO-MULCH SYSTEM



STANDON



TURF STRIPING KIT

**Also Available:**  
Anti-Scalp Roller Kit, Equipment Cover, Operator Controlled Discharge and Walk-Behind Weight Set

Accessories may not fit each mower model. Please visit [exmark.com](http://exmark.com) or check with your dealer on accessory fit-up for each model.

<b>ENGINES</b>	Kawasaki FS481V V-Twin
<b>DECK SIZE</b>	32" / 36" / 48"
<b>DECK STYLE</b>	Fixed UltraCut Series 2 (32"/36") Fixed UltraCut Series 3 (48")
<b>CONTROLS</b>	Pistol (32") ECS (36"/48")
<b>CUTTING HEIGHT</b>	1.0" to 4.25" in 0.25" increments
<b>TRANSMISSION</b>	Belt-Drive
<b>SPEED</b>	Up to 6.2 mph
<b>FUEL CAPACITY</b>	5.0 Gallons
<b>FEATURES</b>	Mechanical PTO, Recoil Start
<b>FRONT CASTERS</b>	9 x 3.5-4" Semi-Pneumatic
<b>DRIVE TIRES</b>	13 x 5.0-6 (32") 13 x 6.5-6 (36"/48")
<b>WARRANTY</b> <small>For complete details, visit <a href="http://exmark.com">exmark.com</a> or your local dealer</small>	2-Year Limited

<b>ENGINES</b>	Kawasaki FS481V V-Twin
<b>DECK SIZE</b>	36" / 48"
<b>DECK STYLE</b>	Fixed UltraCut Series 2 (36") Fixed UltraCut Series 3 (48")
<b>CONTROLS</b>	ECS
<b>CUTTING HEIGHT</b>	1.0" to 4.25" in 0.25" increments
<b>TRANSMISSION</b>	Hydro-Drive
<b>SPEED</b>	Up to 6.2 mph
<b>FUEL CAPACITY</b>	5.0 Gallons
<b>FEATURES</b>	Mechanical PTO, Recoil Start
<b>FRONT CASTERS</b>	9 x 3.5-4 Semi-Pneumatic
<b>DRIVE TIRES</b>	16 x 6.5-8 (36"/48")
<b>WARRANTY</b>	2-Year Limited

<b>ENGINES</b>	Kawasaki FS481V V-Twin Kawasaki FS541V V-Twin Kawasaki FS600V V-Twin Kohler® PCV680 Command™ EFI <b>PROPANE</b>
<b>DECK SIZE</b>	36" / 48" / 52"
<b>DECK STYLE</b>	Full-Floating UltraCut Series 3
<b>CONTROLS</b>	ECS
<b>CUTTING HEIGHT</b>	1.5" to 4.5" in 0.5" increments
<b>TRANSMISSION</b>	Hydro-Drive
<b>SPEED</b>	Up to 6.2 mph
<b>FUEL CAPACITY</b>	5.0 Gallons
<b>FEATURES</b>	Electric PTO, Recoil or Electric Start (depending on engine), Hour Meter
<b>FRONT CASTERS</b>	9 x 3.5-4 Semi-Pneumatic
<b>DRIVE TIRES</b>	16 x 6.5-8 (36") 16 x 7.5-8 (48"/52")
<b>WARRANTY</b>	2-Year Limited

<b>ENGINES</b>	Kawasaki FX691V V-Twin Kohler ECV650 Command PRO® EFI Kohler PCV680 Command PRO EFI <b>PROPANE</b>
<b>DECK SIZE</b>	52" / 60"
<b>DECK STYLE</b>	Full-Floating UltraCut Series 4
<b>CONTROLS</b>	ECS
<b>CUTTING HEIGHT</b>	1.5" to 4.5" in 0.5" increments
<b>TRANSMISSION</b>	Hydro-Drive
<b>SPEED</b>	Up to 6.75 mph
<b>FUEL CAPACITY</b>	5.0 Gallons
<b>FEATURES</b>	Electric PTO, Electric Start, Enhanced Hour Meter
<b>FRONT CASTERS</b>	11 x 4.0-5 Semi-Pneumatic
<b>DRIVE TIRES</b>	18 x 8.5-8 (52"/60")
<b>WARRANTY</b>	2-Year Limited

**ENGINEERED BY US.  
TRUSTED BY LANDSCAPE PROS.  
READY TO WORK FOR YOU.**



For nearly three-and-a-half decades, Exmark® has been synonymous with the world's most technologically advanced, durable, comfortable and low-maintenance turf care equipment. These are just a few of the reasons why top landscape pros trust Exmark 2-to-1 over the next best-selling brand of zero-turn mowers,\* time and again relying on our products to create unmatched results and profit potential. Whether you're a pro, or a homeowner with a lot of lawn to beautify, striving to gain more time for life's most important moments is an aspiration that's shared by everyone—and we strive to make that a reality for you.

**LANDSCAPE PROS TRUST EXMARK  
2-TO-1 OVER THE NEXT BEST-SELLING  
BRAND OF ZERO-TURN MOWERS.**

\*Based on U.S. Data study by Wiese Research Associates, Inc. Market Share and Additional Equipment Study (February 2016).

**WALK-BEHINDS**

When designing and building our walk-behind mowers, we did our homework. We packed more technology and performance into each mower. Our mowers deliver precise lawn trimming with versatile handling and reliable quality.

 <p><b>COMMERCIAL 21</b> S-Series X-Series</p>	 <p><b>COMMERCIAL 30</b></p>	 <p><b>METRO®</b> • Pistol Grip &amp; ECS Controls</p>	 <p><b>VIKING®</b> • ECS Controls</p>	 <p><b>TURFTRACER®</b> S-Series • ECS Controls • Propane X-Series • ECS Controls • Propane</p>
---	---	---	--	---

**ZERO-TURN RIDERS**

We set our bar high so that you can get the best value from a zero-turn mower that is high-performing, ergonomic and easy to maintain.

 <p><b>QUEST®</b> E-Series S-Series</p>	 <p><b>RADIUS®</b> E-Series S-Series • Suspension Platform X-Series</p>	 <p><b>LAZER Z®</b> E-Series • Suspension Platform • Rear Discharge S-Series • Propane • Smart Controller • RED Technology X-Series • Suspension Platform • Rear Discharge • RED Technology</p>	 <p><b>LAZER Z DIESEL</b> • Side-Discharge • Rear-Discharge • Rear-Discharge with Flex Wings • RED Technology</p>	 <p><b>NAVIGATOR®</b> • Dedicated Bagger</p>
---	---	---	---	--

**TURF MANAGEMENT**

There's more to lawn care than just mowing. You can also aerate, seed, dethatch and sweep to keep your lawn looking its best. Our landscaping equipment is everything you need to perform the most advanced turf renovation and maintenance services.

 <p><b>SLICER SEEDER</b></p>	 <p><b>AERATOR</b> 21" Walk-Behind 24" Stand-On 30" Stand-On</p>	 <p><b>ROTARY BROOM</b></p>	 <p><b>SPREADER- SPRAYER</b></p>
---	---	--	---

**STAND-ON**

The all-new Staris stand-on zero-turn rider raises the bar for stability, ease of use and operator comfort, with the commercial performance, productivity and durability Exmark customers expect.



**STARIS®**  
E-Series  
S-Series



# THE ONLY PARTS WORTHY OF BEARING OUR NAME.



### PARTS PLUS

*IT'S OVERNIGHT—OR FREE*

If we don't have the Exmark part that you need in stock, we'll get the part and have it available to you on the next business day, or it's on us.\*



### PERFORMANCE PRODUCTS

Each specially formulated to maximize the performance and life of our hard-working engines.



### GO ORIGINAL

Only Exmark has the expertise and know-how to provide the right parts specifically designed for your machine.

EXMARK MFG. CO., INC.

2101 Ashland Avenue | Beatrice, NE 68310 | Call 402.223.6300 | Fax 402.223.6384 | [www.exmark.com](http://www.exmark.com)    

\*Parts Plus: Restrictions apply; please contact your Exmark dealer for further details. Dealer participation is optional. Program not available in Hawaii and Canada.

\*Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, designs and standard equipment without notice and without incurring obligation. For additional product information including operation manuals, safety materials and warranty details, please visit [www.exmark.com](http://www.exmark.com) or see your dealer for complete details.

Many manufacturers use 100% efficiency ratings for sale purposes. Exmark believes an 80% efficiency rating is more representative of actual mowing conditions, as it allows for turns and

overlapping. Formulas for calculating acres per hour: **100% efficiency:** MPH x width of cut ÷ 99 = acres per hour | **80% efficiency:** MPH x width of cut ÷ 124 = acres per hour

Exmark®, Lazer Z®, Metro®, Navigator®, Quest®, Radius®, Staris®, Turf Tracer® and Viking® are registered trademarks, UltraVac™ and UltraCut™ are trademarks of Exmark Mfg. Co., Inc. Kohler® is a registered trademark and Kohler® Command PRO® is a trademark of Kohler Co. Kawasaki® is a registered trademark of Kawasaki Motors Corp. Hydro-Gear® is a registered trademark of Hydro-Gear.

© 2019 Exmark Manufacturing Company, Inc. All rights reserved. Printed in the U.S.A. 2019. Form No. 135-6812